RECEIVED

Posted

RECEIVED JUN - 4 1992

SUTHERLAND, ASBILL & BRENNAN

1275 PENNSYLVANIA AVENUE, N. JUN 5

WASHINGTON, D. C. 20004-2404

FEDERAL COMMUNICATIONS COMMISSION

11 37 ALL OFFICE OF THE SECRETARY

ATLANTA, GEORGIA 30309-3996

(404) 853-8000

(202) 383-0100

June 4, 1992

, 1992 PM EXAMPLED

FRANK J. MARTIN, JR.
DIRECT LINE: (202) 383-0146

CABLE: SUTAB WASHINGTON

TELEX: 89-501

FACSIMILE:

(202) 637-3593

Ms. Donna R. Searcy Secretary Federal Communications Commission Room 222 1919 M Street, N.W. Washington, D.C. 20554

Re: In re Application of Howard B. Dolgoff

File No. BPH-911223ME

Channel 292A, Miramar Beach, Florida

Dear Ms. Searcy:

Submitted herewith for filing are an original and four copies of a Petition to Deny the above-captioned application, as amended by Amendment submitted on May 4, 1992.

Should there be any questions concerning this Petition, please contact the undersigned or Elizabeth C. Buckingham of this office.

Respectfully submitted,

Frank J. Martin, Jr

Attorney for

Mark and Renee Carter

Attachments

cc: per Certificate of Service

BEFORE THE

JUN - 4 1992

Federal Communications Commission OFFICE OF THE SECRETARY

WASHINGTON, D.C. 20554

In re Application of)
HOWARD B. DOLGOFF) File No. BPH-911223ME
For Construction Permit for a New FM Station on Channel 292A in Miramar Beach, Florida	} } }
To: The Commission	
PETITION T	TO DENY
Pursuant to 47 C.F.R. §	73.5584(a), Section 73.3584(a)
of the Commission's rules, Petitio	oners Mark and Reneé Carter
("the Carters"), parties in intere	est by virtue of their mutually
exclusive application (File No. RP	PH-911224MD) for Channel 292A in
/ /	
<u>L</u> .	
ı	
Ac. 1	

counsel's letter of transmittal dated May 4, 1992, and was stamped received by the Office of the Secretary on that same day -- the last day for filing minor amendments as of right pursuant to Section 73.3522(6) of the Commission's rules, 47 C.F.R. § 73.3522(a)(6). 1/ On the very next day, May 5 1992, these applications were accepted for filing. 2/

- 2. By the Amendment filed as of right and unconditionally, Dolgoff abandoned the antenna site at Lat. 30° 22' 31", Long. 86° 21' 39" that he initially proposed, and specified a site located at Lat. 30° 23' 31", Long. 86° 18' 25".
- 3. In Statement B appended to the Amendment, Dolgoff acknowledges that, under the minimum separation requirements of Section 73.207 of the Commission's rules, 47 C.F.R. § 73.207, the site he has specified is short spaced to co-channel station WKNU, Brewton, Alabama. He invokes and requests processing pursuant to Section 73.213 of the Commission's rules, 47 C.F.R. § 73.213, in the apparent belief that the short spacing to WKNU is acceptable pursuant to paragraph (c)(1) or paragraph (c)(2) of Section 73.213. However, paragraph (c)(1) of Section 73.213 is explicitly applicable only to proposals "with no more than 3000

The Amendment was not served on the Carters but was filed <u>ex parte</u>, in flagrant violation of Section 1.1208 (c)(1)(i)(C) of the Commission's rules. 47 C.F.R. § 1.1208(c)(1)(i)(C).

The notice of acceptance for filing immediately after expiration of the thirty-day amendment as of right period indicates that Dolgoff's application, as amended, has not yet been subjected to staff engineering review under the Commission's acceptance criteria. <u>Public Notice 1730</u>, 67 R.R. 2d 494, 495 Feb. (1990)

Watts of ERP and 100 meters antenna HAAT (or equivalent . . .)," and is therefore patently inapplicable to Dolgoff's Amendment which, at Section V-B, p. 2, of FCC Form 301 and elsewhere, proposes 6kW (6000 Watts) ERP and 100 meters antenna HAAT.

Paragraph (c)(2) of Section 73.213 would require concurrence by station WKNU and other showings that Dolgoff's Amendment does not attempt. Accordingly, the Amendment must be rejected as patently not in compliance with the Section of the rules pursuant to which processing was requested. 3/

4. The Amendment does not "on its face" request processing pursuant to the "contour protection" provisions of Section 73.215 of the Commission's rules, 47 C.F.R. § 73.215. Therefore, by the express terms of Section 73.215, it cannot be processed pursuant to that Section. Moreover, in addition to this straight-forward procedural bar, there is an additional, substantive defect absolutely precluding acceptance of the Amendment pursuant to Section 73.215: there is no exhibit showing that contour protection required by Section 73.215 would be achieved. The Amendment does not include "the necessary"

See Amendment of Part 73 of the Rules to Provide for an Additional FM Station Class (Class C3) and to Increase the Maximum Transmitting Power for Class A FM Stations, 6 FCC Rcd 3417, 3419 (1991) (applicant must provide direct evidence of consent by licensee of affected station).

[&]quot;(A)n applicant's failure to submit the appropriate exhibit (establishing the lack of prohibited overlap of contours involving affected stations) will result in the return of the application as not substantially complete at tender." Amendment of Part 73 of the Commission's Rules to Permit Short-Spaced FM Station Assignments by Using Directional Antennas, 4 FCC Rcd (continued...)

exhibit," mentioned in the introductory language of Section 73.215, and required by paragraphs (a)(1) through (3), "to demonstrate that . . . requisite contour protection will be provided." Figure 4 included in the Amendment as an exhibit purports to depict the interference contour from Dolgoff's proposed new 6kW directional proposal; but neither Figure 4 nor any other figure or exhibit purports to depict WKNU's protected contour or whether it would be infringed by the proposed station's interference contour. Such a showing, in addition to being expressly required by the rules, is essential to demonstrate whether there would any prohibited overlap of pertinent contours. In the absence of such showing, prohibited overlap must, of course, be presumed.

Wherefore, Dolgoff's captioned application, as amended, must be denied as patently in violation of the Commission's rules, and the Carters' application should be promptly granted.

Respectfully submitted,

MARK AND RENEE CARTER

Frank J. Martin, Jr. Elizabeth C. Buckingham

Sutherland, Asbill & Brennan 1275 Pennsylvania Avenue, N.W. Washington, DC 20004

(202) 383-0146

June 4, 1992

^{4/ (...}continued)

^{1681, 1686 (1989) (}subsequent history omitted). Because Dolgoff's amendment failed to satisfy even this tenderability requirement, it must be rejected.

CERTIFICATE OF SERVICE

I hereby certify that on this 4th day of June, 1992, a copy of the foregoing Petition to Deny has been served by courier upon the following:

Irving Gastfreund, Esq. Kaye, Scholer, Fierman, Hays & Handler 901 15th Street, N.W. Washington, DC 20005

Charles Dziedzic, Esq. Hearing Branch of the Mass Media Bureau 2025 M Street, N.W., Room 7212 Washington, DC 20554

Chief, Data Management Staff Federal Communications Commission Audio Services Division Mass Media Bureau 1919 M Street, N.W., Room 350 Washington, DC 20554

Frank J. Martin, Jr.

EXHIBIT 1

425 MAR AVENUE

WEN FORK NY FOOZZ

2 2 836 6000

1999 AVENUE OF THE STARS

SUITE 1600 LOS ANGELES, CA 90067

213-788-1000

WRITERS SIRECT DIAL NUMBER (202) 682-3526

42CSCXXXX

HECEIVED

MAY - 4 1992

KAYE, SCHOLER, FIERMAN, HAYS & HANDLER

THE MCPHERSON BUILDING

901 FIFTEENTH STREET, NW. SUITE 1100

WASHINGTON, D.C. 20005

(202) 682-3500

TELECOPY NUMBER

202-682-3580

DUPLICATE

May 4, 1992

Federal Communications Commission.
Office of the Secretary

ADMIRALTY CENTRE
TOWER 32" F1,00R
8 HARCOURT ROAD
HONG KONG
18521 865-7675

50UARE DE MEEUS 30 1040 BRUSSEUS BELDUM 1322 514 4300

Ms. Donna R. Searcy Secretary Federal Communications Commission 1919 M Street, N.W. Washington, D.C. 20554

Re: Application of Howard B. Dolgoff

for a Construction Permit for a New FM Radio Station on Channel 292A

in Miramar Beach, Florida (FCC File No. BPH-911223ME)

Dear Ms. Searcy:

Submitted herewith for filing, on behalf of our client, Howard B. Dolgoff, are an original and two copies of an amendment to his above-referenced pending application for a construction permit for a new FM radio station on FM Channel 292A in Miramar Beach, Florida.

Please direct any inquiries concerning this submission to the undersigned.

Respectfully submitted,

KAYE, SCHOLER, FIERMAN, HAYS & HANDLER

Irving Gastfreund

Enclosure

MAY - 4 1992

Federal Communications Commission Office of the Secretary

AMENDMENT

Ms. Donna R. Searcy Secretary Federal Communications Commission 1919 NW "M" Street Washington, D.C. 20554

Re:

Application of Howard B. Dolgoff

For a construction permit for a new FM


Radio station of Channel 292A in

Miramar Beach, Florida (File No. BPH-911223ME)

Dear Ms. Searcy:

The above-referenced pending application is hereby amended by submission of the annexed materials.

Respectfully submitted,




RECEIVED

MAY - 4 1992

AMENDMENT

Federal Communications Commission
Office of the Secretary

The pending application (File No. BPH-911223ME) of Howard B. Dolgoff for a construction permit for a new FM radio station on Channel 292A in Miramar Beach, Florida, is hereby amended as follows:



SECTION III - FINANCIAL QUALIFICATIONS NOTE If this application is for a change in an operating facility do not fill out this section

SECTION VI - EQUAL EMPLOYMENT OPPORTUNITY PROGRAM

L Does the applicant propose to emplo	by five or more full-time employees?	X Yes No
If Yes, the applicant must include Opportunity Program Report (FCC	an EEO program called for in the separate Broadcast Equ 398-A).	al Employment
SECTION VII - CERTFICATIONS		• 4
i. Has or will the applicant comply w	with the public notice requirement of 47 C.F.R. Section 73.3	8690? X Yes No
• •	ance, in good faith, that the site or structure proposed in its transmitting antenna, will be available to the applican	
If No. attach as an Exhibit, a full es	xplantion.	Exhibit No. N/A
	ed on applicant's ownership of the proposed site or struct ined such reasonable assurance by contacting the owner ite or structure.	
Name of Person Contacted	J. R. King	
Telephone No. (include area cade)	(904) 862-5415	
Person contacted: (check one box b	veloci	
X Owner 0	wner's Agent Other (specify)	
The APPLICANT hereby walves a	ny claim to the use of any particular frequency as again	nst the regulatory power

The APPLICANT hereby walves any claim to the use of any particular frequency as against the regulatory power the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. ISsee Section 104 of the Leasunizations. Act of 1914, as anended.

The APPLICANT acknowledges that all the statements made in this application and attached exhibits are considered material representations, and that all exhibits are a material part hereof and incorporated herein.

The APPLICANT represents that this application is not filed for the purpose of impeding, obstructing, or delaying determination on any other application with which it may be in conflict.

In accordance with 47 C.F.R. Section 165, the APPLICANT has a continuing obligation to advise the Commission, through amendments, of any substantial and significant changes in information furnished.

ENGINEERING EXHIBIT

APPLICATION FOR CONSTRUCTION PERMIT

prepared for Howard B. Dolgoff Miramar Beach, Florida

Ch 292A (106.3 MHz) 6.0 KW-DA (H&V) 100 m

May 1, 1992

Lahm, Suffa & Cavell, Inc.

Consulting Engineers 3975 University Drive Suite #450 Fairfax, VA 22030 703-591-0110

ENGINEERING EXHIBIT

Application for Construction Permit

prepared for Howard B. Dolgoff Miramar Beach, Florida

Ch 292A (106.3 MHz) 6.0 KW-DA (H&V) 100 m

Table of Contents

FCC Form 301, Section V-B

Figure 1 Antenna System Elevation Plan

Figure 2 Proposed Transmitter Site

Statement A Proposed Directional Antenna

Figure 3-A Proposed Horizontal Plane Antenna Pattern

Figure 3-B Proposed Vertical Plane Antenna Pattern

Table 1 Directional Antenna Data

Statement B Allocation Considerations

Table 2 Proposed Coverage Contours

Figure 4 Proposed Coverage Contours

Statement C Interference Considerations

Statement D Environmental Considerations

Statement E Emergency Power

					FOR COMMISS	ION USE ONLY	
					File No.		
Section	V-B - FM BRO	ADCAST E	NGINEERING DA	TA	ASB Referral	Date	
			1	Referred by			
ame of Appl	icant						
How	ard B. Dolgof	· f					
all letters tif		- 4-	10 10 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		filed in poor	ones to a	
1000013117	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		is this applic window?			onse to a	Yes X No
New			If Yes, specif	A closing di	TURE		
	oplication: (check					•	
Ame:	nd applicatio ruct a new (main	n BPH-911) facility	.223ME	Const	ruct a new a	uxillary facility	1
Modif	y existing constr y	ruction perm	nit for main	Modii facili		onstruction per	mit for auxiliary
Modif	y licensed main	facility		Modi:	y licensed a	uxiliary facility	•
purpose is	to modify, indicat	te below th	e nature of chang	e(s) and spec	cify the file	number(s) of th	e authorizations
X Anter	nna supporting-st	ructure hel	ght	☐ Ell≪	tive radiated	power	
X Anter	nna height above	average te	errain	Frequ	lency		
X Anter	nna location			Class			,
Main	Studio location				· (Susmarize b)	•	nna Pattern
File Numb	BPH 91	1223ME					
riie Numb	er(s)					_	
. Allocation:							
Channel No		Principa	l community to be	served:		Class (check	anly one box below?
V	City		County		State	X A	81 🗌 8 🔲
292	Miramar B	each	Walton		FL	C2] c1 🔲 c
Evant loost	ion of antenna.	•					
	idress, city, count	y and state	. If no address, spe	cify distant	e and bearin	g relative to th	e nearest town or
land mark.		Bayon Ro	oad. 1.7 km	North o	Highway	, 98, Miran	nar Beach, FI
landmark.	de of Mack	Dayou in	July 20, 1011				
landmark. West Sid O Geograph!	ical coordinates (to nearest s	second). If mounted				
landmark. West Sic b) Geographi of array.	ical coordinates (to nearest s y tower loc	second). If mounted ation. Specify Sout				
landmark. West Sic b) Geographi of array. North Lati	ical coordinates (Otherwise, specifitude or West Lon	to nearest s y tower loc- ngitude will	second). If mounted ation. Specify Sout be presumed.	th Latitude	or East Longi	tude where app	licable; otherwise,
landmark. West Sic b) Geographi of array.	ical coordinates (Otherwise, specificate or West Lo	to nearest s y tower loc ngitude will	second). If mounted ation. Specify Sout			tude where app	licable; otherwise,
landmark. West Sicon Geographic of array. North Lati	ical coordinates (Otherwise, specificate or West Long 30 orting structure	to nearest s y tower locangitude will 23	second). If mounted ation. Specify Sout be presumed.	Longitude	or East Longi 86	tude where app	llcable; otherwise,
landmark. West Sicon Geographic of array. North Latitude Latitude . Is the supplication	ical coordinates (Otherwise, specificate or West Long 30 orting structure	to nearest sy tower local negltude will 23	second). If mounted ation. Specify South be presumed.	Longitude	or East Longi 86	tude where app	licable; otherwise,

. .

Landing Area Distance (km) Bearing (degrees True) (a) None known within 8 km (b) Distance (km) Bearing (degrees True) (a) Elevation: (to the nearest seter) (b) of site above mean sea level; (c) of the top of supporting structure above ground (including antenna all other appurtenances, and lighting, if any); and (d) of the top of supporting structure above mean sea level [(aX1) + (aX2)] 107 meterory	If Yes, give date and office where notice was filed and attach as an Exhibit a copy of FAA determination. If available. Date April 29, 1992 office where filed Southern Regional Office. List all landing areas within 8 km of antenna site. Specify distance and bearing from structure to nearest point of the nearest runway. Landing Area Distance (km) Bearing (degrees True) (a) None known within 8 km (b) None known within 8 km (c) of the top of supporting structure above ground (including antenna, all other appurtenances, and lighting, if any); and (d) of the top of supporting structure above mean sea level [axii + (axii)] 107 meters (d) Height of radiation center. Its the nearest setes: H. Horizontal; V. Vertical (d) above ground 99 meters (Market States) 102 meters (Market States) 102 meters (Market States) 100 met	Latitude	0	1		Longitude	0	•	•
Date April 29, 1992 Office where filed Southern Regional Office 3 List all landing areas within 8 km of antenna site. Specify distance and bearing from structure to nearest point nearest runway. Landing Area Distance (km) Bearing (degrees True) (a) None known within 8 km (b)	Date April 29, 1992 Office where filed Southern Regional Office List all landing areas within 8 km of antenna sita Specify distance and bearing from structure to nearest point of the nearest runway. Landing Area Distance (km) Bearing (degrees True) (a) None known within 8 km (b) Searing (degrees True) (c) None known within 8 km (d) of site above mean sea level; (e) of the top of supporting structure above ground (including antenna all other appurtenances, and lighting, if any); and (f) of the top of supporting structure above mean sea level [(aX1) + (aX2)] 107 meters (g) of the top of supporting structure above mean sea level [(aX1) + (aX2)] 107 meters (h) Height of radiation center: Its the nearest seter) H. Horizontal; V. Vertical (g) above ground 99 meters (W) 102 meters (W) 102 meters (W) 103 above average terrain 100 meters (W) 104 meters (W) 105 meters (W) 106 meters (W) 107 meters (W) 107 meters (W) 108 meters (W) 108 meters (W) 109 meters (W) 109 meters (W) 100 m	If Yes, give date and	office wi	-		attach as an Exhib	it a copy of F.	AA Exi	nibit No.
Landing Area Distance (km) Bearing (degrees True)	Landing Area Distance (km) Bearing (degrees True)	Date April 29,	1992	Office	where filed	Southern	Regional O		<u>/</u>
(a) None known within 8 km (b) (a) Elevation: (to the nearest voter) (i) of site above mean sea level: (2) of the top of supporting structure above ground (including antenna all other appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level [(aX1) + (aX2)] 107 meter (b) Height of radiation center: (to the nearest voter) H - Horizontal; V - Vertical (1) above ground 99 meter (2) above mean sea level [(aX1) + (bX1)] 102 meters.	(a) None known within 8 km (b) [A] Elevation: (is the nearest seter) (c) of the top of supporting structure above ground (including antenna all other appurtenances, and lighting, if any); and (d) of the top of supporting structure above mean sea level [(ax1) + (ax2)] 107 meters (e) Height of radiation center: (is the nearest seter) H - Horizontal; V - Vertical (f) above ground 99 meters (H 99 meters (H 102 meters (H 103 above average terrain 100 meters (H 104 meters (G) above average terrain 100 meters (H 100	nearest runway.		km of anten			aring from su	ructure to neare	st point of th
(a) Elevation: (to the necrest seter) (i) of site above mean sea level: (2) of the top of supporting structure above ground (including antenna, all other appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level [(aX1) + (aX2)] 107 mete. (b) Height of radiation center: (to the necrest seter) H - Horizontal; V - Vertical (1) above ground 99 mete (2) above mean sea level [(aX1) + (bX1)] 102 mete.	(a) Elevation: (to the necrest seter) (i) of site above mean sea level; (2) of the top of supporting structure above ground (including antenna, all other appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level [(aX1) + (aX2)] 107 meters (b) Height of radiation center: (to the necrest seter) H - Horizontal; V - Vertical (1) above ground 99 meters (W 99 meters (W 102 meters (W 103 above average terrain 100 meters (W 103 above average terrain 100 meters (W 104 as an Exhibit sketch(es) of the supporting structure labelling all elevations required Exhibit No.	Landin	ng Area		Di	stance (km)		Bearing (degrees	s True)
(1) of site above mean sea level: (2) of the top of supporting structure above ground (including antenna, all other appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level [(aX1) + (aX2)] 107 mete. (b) Height of radiation center: (to the nearest veter) H - Horizontal; V - Vertical (1) above ground 99 mete 99 mete (2) above mean sea level [(aX1) + (bX1)] 102 mete	(1) of site above mean sea level; (2) of the top of supporting structure above ground (including antenna, all other appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level [(aX1) + (aX2)] (b) Height of radiation center: *\(\text{i.e. the negrest seter}\) H - Horizontal; V - Vertical (1) above ground (2) above mean sea level [(aX1) + (bX1)] (2) above mean sea level [(aX1) + (bX1)] (3) above average terrain (4) meters (Wattach as an Exhibit sketch(es) of the supporting structure labelling all elevations required (5) Fighit No	(a) None know	n withir	n 8 km			- ,		
(2) of the top of supporting structure above ground (including antenna, all other appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level [(aX1) + (aX2)] 107 mete. (b) Height of radiation center. (to the negrest seter) H - Horizontal; V - Vertical (1) above ground 99 mete 99 mete (2) above mean sea level [(aX1) + (bX1)] 102 mete.	(1) of site above mean sea level; (2) of the top of supporting structure above ground (including antenna, all other appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level [(aX1) + (aX2)] (b) Height of radiation center: *\(\text{i.e. the negrest seter}\) H - Horizontal; V - Vertical (1) above ground (2) above mean sea level [(aX1) + (bX1)] (2) above mean sea level [(aX1) + (bX1)] (3) above average terrain (4) meters (Wattach as an Exhibit sketch(es) of the supporting structure labelling all elevations required (5) Fighit No	(b)	~				· ·		
(2) of the top of supporting structure above ground (including antenna, all other appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level [(aX1) + (aX2)] 107 mete. (b) Height of radiation center: (to the negrest seter) H - Horizontal; V - Vertical (1) above ground 99 mete 99 mete 20 above mean sea level [(aX1) + (bX1)] 102 mete	(2) of the top of supporting structure above ground (including antenna, all other appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level [(aX1) + (aX2)] 107 meters (b) Height of radiation center: (to the nearest seter) H - Horizontal; V - Vertical (i) above ground 99 meters (V (2) above mean sea level [(aX1) + (bX1)] 102 meters (H 100 meters (V (3) above average terrain 100 meters (V Attach as an Exhibit sketch(es) of the supporting structure labelling all elevations required Exhibit No	િક્રો (a) Elevation: /te the /	mearest mete	r)					
appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level [(aX1) + (aX2)] 107 meter (b) Height of radiation center: (to the nearest seter) H. Horizontal; V. Vertical (1) above ground 99 meter (2) above mean sea level [(aX1) + (bX1)] 102 meter 102 meter 103 of the top of supporting structure above mean sea level [(aX1) + (bX1)] 102 meter 104 meter 105 meter 106 meter 107 meter 108 meter 109 meter 100 meter	appurtenances, and lighting, if any); and (3) of the top of supporting structure above mean sea level [(aX1) + (aX2)] 107 meters (b) Height of radiation center: (to the nearest seter) H. Horizontal; V. Vertical (i) above ground 99 meters (V. 99 meters (V. 102) meters (V. 102) meters (V. 103) above average terrain 100 meters (V. 104) meters (V. 104) meters (V. 105) meters (V. 105) meters (V. 106) meters (V. 107) meters (V. 108) meters (V. 1	(1) of site above 1	nean sea le	evel;				3	meters
(b) Height of radiation center: (to the nearest seter) H. Horizontal; V. Vertical (l) above ground 99 mete 99 mete (2) above mean sea level [(aX1) + (bX1)] 102 mete	(b) Height of radiation center: (to the nearest seter) H. Horizontal; V. Vertical (i) above ground 99 meters (V. 102) (2) above mean sea level [(aX1) + (bX1)] 102 meters (V. 103) above average terrain 100 meters (V. 104) Attach as an Exhibit sketch(es) of the supporting structure labelling all elevations required Exhibit No.					including antenna	ali other	104	meters
(1) above ground	(1) above ground 99 meters (N 99 meters (N (2) above mean sea level [(aX1) + (bX1)] 102 meters (N (3) above average terrain 100 meters (N Attach as an Exhibit sketch(es) of the supporting structure labelling all elevations required Exhibit No	(3) of the top of	supporting	structure ab	ove mean sea	a level [(aX1) + (a)	(2)]	107	meters
99 mete 102 mete 102 mete 102 mete 103 mete	(2) above mean sea level [(aX1) + (bX1)] 102 meters (W (3) above average terrain 100 meters (W Attach as an Exhibit sketch(es) of the supporting structure labelling all elevations required Exhibit No	(b) Height of radiation	center:	Ite the nearest	meter) H =	Horizontal; V • Ver	tical		
(2) above mean sea level [(aX1) + (bX1)]	(2) above mean sea level [(aX1) + (bX1)] 102 meters (V (3) above average terrain 100 meters (V Attach as an Exhibit sketch(es) of the supporting structure labelling all elevations required Exhibit No	(1) above ground	•					99	meters (H)
102mete	(3) above average terrain 100 meters (V 100 meters (V 100 meters (V Attach as an Exhibit sketch(es) of the supporting structure labelling all elevations required Exhibit No		•					99	meters (V)
	(3) above average terrain 100 meters (V 100 meters (V 100 meters (V Attach as an Exhibit sketch(es) of the supporting structure labelling all elevations required Exhibit No	(2) above mean s	ea level	[(aX 1) + (bX 1))]			102	meters (H)
(3) above average terrain 100 mete	Attach as an Exhibit sketch(es) of the supporting structure, labelling all elevations required							102	meters (V)
	Attach as an Exhibit sketch(es) of the supporting structure, labelling all elevations required	(3) above average	e terrain					100	meters (H)
100 mete	Attach as an Exhibit sketch(es) of the supporting structure, labelling all elevations required Exhibit No.							100	meters (V)
Attach as an Exhibit sketch(es) of the supporting structure, labelling all elevations required Fighbit No.		. Attach as an Exhibit	sketch(es)	of the suppor	rting structu	ra labelling all ele	vations requir	ed Ex	hibit No
		——————————————————————————————————————							1-

SECTION V-B - FM BROADCAST ENGINEERING DATA (Page 3)

10.	Is a directional antenna proposed?	X Yes No
	If Yes, attach as an Exhibit a statement with all data specified in 47 C.F.R. Section 73.316, including plot(s) and tabulations of the relative field. Fig. 3A & 3B;	Exhibit No. Stmt. A Table 1
11.	Will the proposed facility satisfy the requirements of 47 C.F.R. Sections 73.315(a) and (b)?	X Yes No
	If No, attach as an Exhibit a request for waiver and justification therefor, including amounts and percentages of population and area that will not receive 3.16 mV/m service.	Exhibit No. N/A
12	Will the main studio be within the protected 316 mV/m field strength contour of this proposal?	X Yes No
	If No, attach as an Exhibit Justification pursuant to 47 C.F.R. Section 73,1125.	Exhibit No. N/A
13.	(a) Does the proposed facility satisfy the requirements of 47 C.F.R. Section 78.207?	Yes X No
	(b) If the answer to (a) is No, does 47 C.F.R. Section 78.213 apply?	X Yes No
	(c) If the answer to (b) is Yes, attach as an Exhibit a justification, including a summary of previous waivers.	Exhibit No. Stmt. B
	(d) If the answer to (a) is No and the answer to (b) is No, attach as an Exhibit a statement describing the short spacing(s) and how it or they arosa.	Exhibit No. N/A
	(e) If authorization pursuant to 47 C.F.R. Section 73215 is requested, attach as an Exhibit a complete engineering study to establish the lack of prohibited overlap of contours involving affected stations. The engineering study must include the following:	Exhibit No. N/A
C	(1) Protected and interfering contours, in all directions (360), for the proposed operation. (2) Protected and interfering contours, over pertinent arcs, of all short-spaced assignments, applications and allotments, including a plot showing each transmitter location, with identifying call letters or file numbers, and indication of whether facility is operating or proposed. For vacant allotments, use the reference coordinates as the transmitter	· · · ·
(*) (*)	(3) When necessary to show more detail an additional allocation study utilizing a map	
	with a larger scale to clearly show prohibited overlap will not occur. (4) A scale of kilometers and properly labeled longitude and latitude lines, shown across the entire exhibit(s). Sufficient lines should be shown so that the location of the sites may be verified. (5) The official title(s) of the map(s) used in the exhibits(s).	
14	Are there (a) within 60 meters of the proposed antenna, any proposed or authorized FM or TV transmitters, or any nonbroadcast lexcept citizens bend or executive radio stations or (b) within the bianketing contour, any established commercial or government receiving stations, cable head-end facilities, or populated areas, or (c) within ten (i0) kilometers of the proposed antenna, any proposed or authorized FM or TV transmitters which may produce receiver-induced intermodulation interference?	X Yes No
	If Yes, attach as an Exhibit a description of any expected, undesired effects of operations and remedial steps to be pursued if necessary, and a statement accepting full responsibility for the elimination of any objectionable interference (including that caused by receiver-induced or other types of modulation) to facilities in existence or authorized or to radio receivers in use prior to grant of this application. (See 47 C.F.R. Sections 73.315(b), 73.315(e) and 73.318.)	Exhibit No. Stmt. C

is. Attach as an Exhibit a 75 minute series U.S. Geological Survey topographic quadrangle map that shows clearly, legibly, and accurately, the location of the proposed transmitting antenna. This map must comply with the requirements set forth in instruction V. The map must further clearly and legibly display the original printed contour lines and data as well as latitude and longitude markings, and must bear a scale of distance in kilometers.	Exhibit No. Fig. 2
16. Attach as an Exhibit (name the source) a map which shows clearly, legibly, and accurately, and with the original printed latitude and longitude markings and a scale of distance in kilometers.	Exhibit No. Fig. 4
(a) the proposed transmitter location, and the radials along which profile graphs have been prepared;	•
(b) the 3.16 mV/m and 1 mV/m predicted contours and	
(c) the legal boundaries of the principal community to be served.	
17. Specify area in square kilometers (1 sq. mi 259 sq. km) and population (latest census) within the predicted 1 mV/m contour.	
land Area 1,071 sq. km. Population 45,858 (1990 Census)	
18. For an application involving an auxiliary facility only, attach as an Exhibit a map (Sectional Aeronautical Chart or equivalent) that shows clearly, legibly, and accurately, and with latitude and longitude markings and a scale of distance in kilometers	Exhibit No. N/A
(a) the proposed auxiliary i mV/m contour, and	•
(b) the 1 mV/m contour of the licensed main facility for which the applied-for facility will be auxiliary. Also specify the file number of the license.	
19. Terrain and coverage data its be calculated in accordance with 47 C.F.R. Section 73.3131	
Source of terrain data: Icheck only one box below!	
X Linearly interpolated 30-second database 75 minute topographic map	
(Source: NGDC TPG-0050	
Other (briefly summerize)	

. .

	Height of radiation center above average	Predicted Distances			
Radial bearing (degrees True)	elevation of radial from 3 to 16 km (meters)	To the 316 mV/m contour (kilometers)	To the 1 mV/m contour (kilometers)		
- 250 [○]	100.2 **				
0	94.4				
45	101.9				
90	102.0				
135	98.9 **	SEE TABLE 2 FOR CON	OUR DATA		
180	101.0 **				
225	100.8 **				
270	101.7				
315	98.1				

	225	100.8 **		
1	270	101.7		
	315	98.1		
of H,	AAT. ** Radi. exclinvironmental State Would a Commission that it may have a	al partially over wat uded from average. ement(See 47 C.F.A. Section 1.130) on grant of this application com- a significant environmental impa	er - elevations beyont seq./ e within Section 11307 of the FO	CC Rules, suct Yes X No
	if you answer Yes If No, explain brie	fly why not.		y Section 11311 Exhibit No. N/A
•			ē	*:
<u> </u>	_			
		ι		
1				
<u> </u>	<u>,</u> . –			,
	<u> </u>			
7- 	₹ :		Į.	
etaliserene				. Its
K.				






Figure 1 Proposed Antenna And Supporting Structure


prepared April 1992 for Howard B. Dolgoff Miramar Beach, Florida

Ch 292A 6.0 kW -DA (H&V) 100 m

Lahm, Suffa & Cavell, Inc. Consulting Engineers - Fairfax, VA










Table 1

Directional Pattern Data

prepared for

Howard B. Dolgoff

Miramar Beach, Florida

Ch 292A 6.0 KW-DA (H&V) 100 m

Azimuth (deg true)	Power (dBK)	Relative <u>Field</u>
**0-270	7.78	1.000
280	5.78	0.794
285	4.78	0.708
290	4.77	0.707
295	4.77	0.707
300	4.77	0.707
305	4.77	0.707
310	4.77	0.707
*315	4.77	0.707
320	4.77	0.707
325	4.77	0.707
330	4.77	0.707
335	4.78	0.708
340	5.78	0.794
350	7.78	1.000

^{*} Pattern Minima

^{**} Pattern Maxima

Statement A PROPOSED DIRECTIONAL ANTENNA

prepared for Howard B. Dolgoff Miramar Beach, Florida

Ch 292A (106.3 MHz) 6.0 KW-DA (H&V) 100 m

Figure 3-A is a directional antenna horizontal plane envelope pattern which shows the permissible radiation from the proposed facility along all azimuths. This is a composite envelope, within which both the horizontally and vertically polarized radiation patterns will be contained. Upon grant of this application, an antenna will be designed to match this pattern as closely as possible without exceeding the pattern limits shown herein.

The proposed envelope pattern does not change by more than 2 dB per 10 degrees of azimuth. The ratio of maximum to minimum radiation is 3 dB, well below the 15 dB limit contained in Section 73.316 of the FCC Rules. Howard B. Dolgoff is proposing use of an ERI 4 bay half-wavelength spaced rototiller antenna, which will be directionalized to accommodate the pattern requirements. This antenna is proposed to be obtained from the Harris Corporation (model FML-4E), but since ERI provides these antennas on an OEM basis to other vendors, a substitute supplier, manufacturer or antenna type may be specified following grant of this application. The antenna make, model and actual measured antenna pattern will be submitted with the Application for License to cover this construction.

iā7 ; ".

The antenna will be side mounted on a new tower in accordance with the installation instructions to be supplied by the manufacturer. The proposed tower will not have a top mounted platform that exceeds the nominal cross sectional area of the tower itself. No other antennas will be mounted within the FM antenna aperture, nor will any other antenna be installed on the tower within the minimum vertical or horizontal distance specified by the FM antenna manufacturer as being necessary for proper directional operation. The pattern measurements performed by the manufacturer will duplicate as closely as possible the proposed tower, including all pertinent structural members.